

Buy Clenbuterol by Dragon Pharma

- **Clenbuterol 40mcg**

General information:

Weight Loss - Fat Burner

Active Substance: [Clenbuterol Hydrochloride](#)

Manufacturer: Dragon Pharma

Unit: 100 pills (40 mcg/pill)

Common Names

Clenbuterol, Clen, Clenbutaxyl, Clenodex, Clenbut, Clenbuterol, Clenotabs, Clenbuterolic, Dilaterol, Spiropent, Ventipulmin, Arium, Asmeren, Buclen, Clenbudilat, Mucifar, Muconemox, Sivas, Ventoflux, Alvaprol, Brodilan, Brodilin, Clenbroxol, Clenbunal, Clenovet, Monores, Novegam, Oxibron, Risopent, Spiropent, Ventolase.

Drug Description

Blue round-shaped pills with compact and homogeneous structure.

Clenbuterol Composition

1 pill contains:

Active substance: Clenbuterol Hydrochloride 40 mg

Bodybuilding Benefits

It is a bronchodilator and a thermogenic agent that helps in burning fat and has the ability to increase lean muscular mass. It is generally used because of its property to relax the smooth muscle. Clen also accelerates the aerobic capacity, increase oxygen transport and blood pressure and it is often used by bodybuilders and athletes in post cycle therapy.

Therapeutic Indication

In medical use, the drug affects the sympathetic nervous system and is responsible for distributing andrenoceptors. It is used in the treatment of patients with as asthma and other chronic breathing disorders.

Dosage (Men)

40-160 mcg per day.

Dosage (Women)

40-100 mcg per day.

Active Life

36 hours.

Clenbuterol Side Effects

Headaches, insomnia symptoms, have possible negative effects on the thyroid and generate behavior side effects such as severe nervousness, edginess, paranoia and anxiety. Other side effects are: thyrotoxicosis, tachycardia, subaortic stenosis and high blood pressure.

Clenbuterol Contraindications/Precautionary Measures

Is not recommended [clen max](#) for patients with severe asthma, QT prolongation, hyperthyroidism, myocardial insufficiency, arrhythmia and diabetes mellitus. It should not be used by anyone who has hypertension or high blood pressure.

Overdosage

Excessive use can cause muscle tremors, headache, dizziness, and gastric irritation, as well as nausea, vomiting, diaphoresis and myocardial infarction.

Clenbuterol Stack/Cycle

Cycle length ranges from 6 to 12 weeks and the dosage should be increased gradually. For cutting stack it can be used with Testosterone, Anavar and Winstrol. It is also often stacked with Cytomel to ensure better results in PCT.

Steroid Cycle 1 for Beginners

The easiest cycle is based on Dianabol, supplemented by taking Clenbuterol. Cycle 1 is intended for beginners in steroid cycles.

Week	Dianabol	Clenbuterol
1	20 mg/day	
2	30 mg/day	
3	40 mg/day	
4	40 mg/day	
5	30 mg/day	
6	30 mg/day	
7	20 mg/day	60 mcg/day
8-11		80 mcg/day

Steroid Cycle 2 for Beginners

One of the programs in the steroid cycles for beginners, which can be used after testing Cycle 1. This cycle provides excellent gain in mass and strength for beginners, if there is a strict diet and nutrition. A considerable part of achievements remains in view of the fact that after

Dianabol discontinuation, Deca continues for some time to enter the body, then [clenbuterol bodybuilding](#) minimizes recession of achievements and Clomid easily restores body's own production of testosterone.

Week	Dianabol	Deca	Clenbuterol	Clomid
1	20 mg/day	200 mg/week		
2	30 mg/day	200 mg/week		
3	30 mg/day	400 mg/week		
4	40 mg/day	400 mg/week		
5	40 mg/day	400 mg/week		
6	30 mg/day	400 mg/week		
7	30 mg/day	200 mg/week		
8		100 mg/week		
9		100 mg/week	60 mcg/day	
10			80 mcg/day	75 mg/day
11-12			80 mcg/day	

Package Presentation

40 mcg pills.

Storage

To be store in a dry place, protected from light, at a temperature of 15-25 ° C. Keep out of reach of children.

How to Use Liquid Clenbuterol

For the most part, Clenbuterol comes in 20mcg and 40mcg tablets. However, a few manufacturers also make liquid Clenbuterol that you can place under your tongue or add to the beverage of your choice. Many people want to know how to take liquid Clen and if there are any advantages to using it in its liquid form as opposed to its tablet form. There is really no major difference aside from the way you need to measure your dose. This is an important note as it's very easy to make a mistake and cause yourself harm.

Liquid Clen for Oral Use vs. Injectable Liquid Clenbuterol

The most important part of utilizing liquid Clen involves making sure that the product you have on hand is, in fact, intended for oral ingestion. You never want to inject a liquid that you are supposed to consume orally, and you never want to consume a liquid that is meant for injection. Both of these can have serious consequences, even leading to overdose. Always be certain that you are purchasing a liquid made for oral consumption. When you purchase your Clen from a reputable company, the product should be clearly labeled. If you choose the

injectable liquid Clenbuterol, the measurements will be much smaller. You can learn more about each below.

Measuring Your Dose

Once you are certain that you have liquid Clen for oral use, you next need to understand the concentration. Because Clen is measured in micrograms, which are mere fractions of milligrams, it is easy to miscalculate and end up taking far too much. To determine the right dose, figure out how many micrograms of actual Clen are in each milliliter of solution. For instance, your product may contain .025mg of Clenbuterol per milliliter. Your goal, then, is to measure how many milliliters you need for a 20mcg dose. 0.025mg is the same as 25mcg, so each milliliter of solution contains 25mcg of liquid Clenbuterol.

The best way to measure your dose is to use a child's medicine syringe, which is available at very low cost (or even free) in most pharmacies. Just ask the pharmacy technician for a graduated syringe that goes up to at least 6ml and has half-mL marks.

Measuring Liquid Clenbuterol Doses for Injection

Though less common, injectable liquid Clenbuterol does exist. There is some evidence to suggest that injectable Clen may be more beneficial than its oral counterparts namely due to bioavailability, but because Clen works best when dosed two or three times throughout the day, this isn't ideal for everyone. Injectable Clen comes in a suspension that contains 200mcg/ml, so it is quite possible to overdose if you confuse injectable with oral liquid Clenbuterol. Again, the package should be clearly marked.

As you can see, the doses for injectable liquid Clenbuterol are significantly smaller. This is why it is vital for you to understand the differences, know how to measure your dose, and measure accurately. The best way to dose injectable Clen is with a syringe typically used for injecting insulin.

Taking Your Dose

Liquid Clenbuterol is pretty versatile, and many bottles come with 1ml droppers that you can use to carefully measure. Never use any other dosing tool other than the one that comes with the package. Most people choose to add their liquid Clen to some sort of beverage, such as orange juice, to help mask the bitter taste. What's more, because taking a high dose of Clenbuterol all at once is too much for some people, you may opt to divide it half and take it twice per day. This means that if you want to take 100mcg per day, you would take 50mcg in the morning and another 50mcg in the afternoon. If you experience difficulty sleeping, remember to take your last dose before 4pm.

Those who purchase injectable liquid will often use it alongside the oral tablets or suspension, which allows them to dose multiple times per day without the need for multiple daily injections. Because the injections take effect very quickly, it isn't uncommon for individuals to use them in the afternoons just before their main workouts. This way, they can feel the effects during the workout and the [clenbuterol vs albuterol](#) will have worn off by the time they are ready for bed in the evening. In the morning, these individuals will use a tablet to enjoy a more gradual onset of energy and appetite suppression.

Always Titrate the Dose

Liquid Clenbuterol has its fair share of potential side effects, so you should make sure that you titrate your dose to avoid them. Most experts recommend starting at just 20 to 25mcg per day and increasing it by 20mcg per day until you reach your optimal dose. What's more, taking it for two to three weeks and then taking a two- to three-week break is also important since your body tends to develop a tolerance to the effects in short order. A Short-burst Clenbuterol cycle will prevent this.

Is Liquid Clenbuterol the Right Choice for You?



With all this information in mind, you may wonder whether liquid Clenbuterol is a better choice than its oral counterpart for your specific needs. Both deliver the same compound in the same dose when correctly measured, and because of this, it all comes down to convenience and personal preference. Some people will use Clen in its tablet form exclusively; others prefer the oral liquid Clenbuterol.

If you are concerned about the risks associated with measuring your dose, then Clenbuterol tablets are likely the best choice. The good news is that tablets are easier to find on the open market than either of the two liquid Clenbuterol options. If you don't like taking pills, oral Clenbuterol suspension is a great choice, but it is more difficult to find and often more expensive. Finally, if you prefer rapid onset of benefits and you do not mind injections, injectable Clen may be right for you. Just bear in mind that it is the most difficult to find (and the most expensive) form of this popular stimulant.

Liquid Clenbuterol does not have any real advantage over its tablet counterpart. In fact, it is easier to measure tablets, and there is no bitter taste to mask. The choice is always yours; just be sure to measure carefully and gently titrate your dose upward to avoid harsh side effects.